



<i>Details</i>	<i>Proposed Change and Reasons</i>
<p>Location of Change:  Page(s) _____ 6, 7 _____</p> <p><input type="checkbox"/> Section(s) _____</p> <p><input type="checkbox"/> Figure(s) _____</p> <p><input type="checkbox"/> Table(s) 2, 4 _____</p> <p><input type="checkbox"/> Note(s) _____</p> <p><input type="checkbox"/> Other _____</p>	<p>From: 'SEMITXXMMYYLABEL'</p>
<p>Check the following type(s) of changes that apply:</p> <p><input type="checkbox"/> Correct nontechnical information</p> <p><input type="checkbox"/> Correct existing Supplementary Materials</p> <p><input type="checkbox"/> Reduce ambiguity</p> <p><input type="checkbox"/> Eliminate an obvious technical content inconsistency</p> <p><input type="checkbox"/> Correct or add missing punctuation</p> <p><input type="checkbox"/> Add/delete/correct Notes or footnotes</p> <p><input type="checkbox"/> Outdated title in Referenced Standards and Documents section</p> <p><input checked="" type="checkbox"/> Other (describe in Justification)</p>	<p>To: 'SEMIT27MMYYLABEL'</p>
	<p>Justification:</p> <p>The original intent was to express the eventual standard number using TXX as the reference. The number (T27) wasn't available during the balloting phase. Now that it is available, we will replace TXX with T27 throughout the document.</p>

<i>Details</i>	<i>Proposed Change and Reasons</i>																																																																																
<p>Location of Change:  Page(s) <u>6</u></p> <p><input type="checkbox"/> Section(s) _____</p> <p><input type="checkbox"/> Figure(s) _____</p> <p><input type="checkbox"/> Table(s) <u>1</u> _____</p> <p><input type="checkbox"/> Note(s) _____</p> <p><input type="checkbox"/> Other _____</p> <p>Check the following type(s) of changes that apply:</p> <p><input type="checkbox"/> Correct nontechnical information</p> <p><input type="checkbox"/> Correct existing Supplementary Materials</p> <p><input type="checkbox"/> Reduce ambiguity</p> <p><input type="checkbox"/> Eliminate an obvious technical content inconsistency</p> <p><input type="checkbox"/> Correct or add missing punctuation</p> <p><input checked="" type="checkbox"/> Add/delete/correct Notes or footnotes</p> <p><input type="checkbox"/> Outdated title in Referenced Standards and Documents section</p> <p><input type="checkbox"/> Other (describe in Justification)</p>	<p>From:</p> <p><b>Table 1 Human Readable Data Shown on the ID Label for Serialized Parts</b></p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>No.</th> <th>Data Field</th> <th>Character Attribute<sup>#1</sup></th> <th>Maximum Number of Characters</th> <th>Data Field Content</th> </tr> </thead> <tbody> <tr><td>1</td><td>Component part name</td><td>A/N</td><td>20</td><td>(assigned by the supplier)</td></tr> <tr><td>2</td><td>Supplier name</td><td>A/N</td><td>64</td><td>(assigned by the supplier)</td></tr> <tr><td>3</td><td>Supplier code</td><td>N</td><td>9</td><td>(D-U-N-S® number of the supplier)</td></tr> <tr><td>4</td><td>Part type code</td><td>A/N</td><td>40</td><td>(assigned by the supplier)</td></tr> <tr><td>5</td><td>Serial number</td><td>A/N</td><td>50</td><td>(assigned by the supplier)</td></tr> <tr><td>6</td><td>Quantity</td><td>N</td><td>6</td><td>(assigned by the supplier)</td></tr> <tr><td>7</td><td>Label identified letter</td><td>A/N</td><td>19</td><td>'SEMI TXX-MMY-YY-LABEL'</td></tr> </tbody> </table> <p><small>#1 N = numeric characters, A/N = alphanumeric characters.</small></p> <p>7.1.3.2 <i>MRD</i> — The ID label shall contain MRD shown in Table 2.</p> <p>To:</p> <p><b>Table 1 Human Readable Data Shown on the ID Label for Serialized Parts</b></p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>No.</th> <th>Data Field</th> <th>Character Attribute<sup>#1</sup></th> <th>Maximum Number of Characters</th> <th>Data Field Content</th> </tr> </thead> <tbody> <tr><td>1</td><td>Component part name</td><td>A/N</td><td>20</td><td>(assigned by the supplier)</td></tr> <tr><td>2</td><td>Supplier name</td><td>A/N</td><td>64</td><td>(assigned by the supplier)</td></tr> <tr><td>3</td><td>Supplier code</td><td>N</td><td>9</td><td>(D-U-N-S® number of the supplier)</td></tr> <tr><td>4</td><td>Part type code</td><td>A/N</td><td>40</td><td>(assigned by the supplier)</td></tr> <tr><td>5</td><td>Serial number</td><td>A/N</td><td>50</td><td>(assigned by the supplier)</td></tr> <tr><td>6</td><td>Quantity</td><td>N</td><td>6</td><td>(assigned by the supplier)</td></tr> <tr><td>7</td><td>Label identified letter</td><td>A/N</td><td>19</td><td>'SEMI TXX-MMY-YY-LABEL'</td></tr> </tbody> </table> <p><small>#1 N = numeric characters, A/N = alphanumeric characters.</small></p> <p>Note: MMY-YY = Date code format, replace with the publication date code of the T27 Standard for which the label is referencing, for example MMY-YY for Nov, 2025 version would be 1125.</p> <p>7.1.3.2 <i>MRD</i> — The ID label shall contain MRD shown in Table 2.</p> <p>Justification:</p> <p>Without this note, some people may keep 'MMY-YY' to the label, which is not the intention of the Standard.</p>	No.	Data Field	Character Attribute <sup>#1</sup>	Maximum Number of Characters	Data Field Content	1	Component part name	A/N	20	(assigned by the supplier)	2	Supplier name	A/N	64	(assigned by the supplier)	3	Supplier code	N	9	(D-U-N-S® number of the supplier)	4	Part type code	A/N	40	(assigned by the supplier)	5	Serial number	A/N	50	(assigned by the supplier)	6	Quantity	N	6	(assigned by the supplier)	7	Label identified letter	A/N	19	'SEMI TXX-MMY-YY-LABEL'	No.	Data Field	Character Attribute <sup>#1</sup>	Maximum Number of Characters	Data Field Content	1	Component part name	A/N	20	(assigned by the supplier)	2	Supplier name	A/N	64	(assigned by the supplier)	3	Supplier code	N	9	(D-U-N-S® number of the supplier)	4	Part type code	A/N	40	(assigned by the supplier)	5	Serial number	A/N	50	(assigned by the supplier)	6	Quantity	N	6	(assigned by the supplier)	7	Label identified letter	A/N	19	'SEMI TXX-MMY-YY-LABEL'
No.	Data Field	Character Attribute <sup>#1</sup>	Maximum Number of Characters	Data Field Content																																																																													
1	Component part name	A/N	20	(assigned by the supplier)																																																																													
2	Supplier name	A/N	64	(assigned by the supplier)																																																																													
3	Supplier code	N	9	(D-U-N-S® number of the supplier)																																																																													
4	Part type code	A/N	40	(assigned by the supplier)																																																																													
5	Serial number	A/N	50	(assigned by the supplier)																																																																													
6	Quantity	N	6	(assigned by the supplier)																																																																													
7	Label identified letter	A/N	19	'SEMI TXX-MMY-YY-LABEL'																																																																													
No.	Data Field	Character Attribute <sup>#1</sup>	Maximum Number of Characters	Data Field Content																																																																													
1	Component part name	A/N	20	(assigned by the supplier)																																																																													
2	Supplier name	A/N	64	(assigned by the supplier)																																																																													
3	Supplier code	N	9	(D-U-N-S® number of the supplier)																																																																													
4	Part type code	A/N	40	(assigned by the supplier)																																																																													
5	Serial number	A/N	50	(assigned by the supplier)																																																																													
6	Quantity	N	6	(assigned by the supplier)																																																																													
7	Label identified letter	A/N	19	'SEMI TXX-MMY-YY-LABEL'																																																																													

Received by:

Standards Staff Nahoko Koga

Date: December 17, 2025

Please return this form to SEMI, Standards Staff, 673 S. Milpitas Blvd., Milpitas, CA 95035;  
<https://www.semi.org/en/semi-standards-staff-contacts>